

WAUS41 KPCI 191901 AAA

WA1S

BOSS WA 191901 AMD

AIRMET SIERRA UPDT 5 FOR IFR AND MTN OBSCN VALID UNTIL 192100

.
AIRMET IFR...VA NC SC GA AND CSTL WTRS...UPDT
FROM 40S DCA TO 60E ECG TO 20NNE ILM TO 20S GQO TO 20NE HMV TO
40S DCA
CANCEL AIRMET. CONDS HV ENDED.

.
AIRMET MTN OBSCN...WV VA NC SC GA
FROM 40SSE EKN TO 40E LYH TO CLT TO ATL TO 20S GQO TO HMV TO 50S
HNN TO 40SSE EKN
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 21Z THRU 03Z.

....

WAUS41 KPCI 192045

WA1T

BOST WA 192045

AIRMET TANGO UPDT 3 FOR TURB AND STG SFC WNDZ VALID UNTIL 200300

.
AIRMET TURB...ME NH VT MA RI CT NY NJ PA WV MD DC DE VA AND CSTL
WTRS
FROM 70NW PQI TO 30NNE PQI TO 40WSW YSJ TO 200SE ACK TO 210SSE
HTO TO 20NE ECG TO 20N GSO TO 20WNW BKW TO 20SE SLT TO 20NNW MSS
TO 30ESE YSC TO 70NW PQI
MOD TURB BLW 100. CONDS CONTG BYD 03Z THRU 09Z.

.
AIRMET TURB...ME NH VT MA RI CT NY NJ PA OH WV MD DC DE VA AND
CSTL WTRS
FROM 70NW PQI TO 30NE PQI TO 50SE HUL TO 200SE ACK TO 160SE SIE
TO 50S RIC TO 50ESE LYH TO 40N HMV TO HNN TO 20S CVG TO 30SSE
ROD TO 20WNW PSB TO 60E MSS TO 30ESE YSC TO 70NW PQI
MOD TURB BTN FL180 AND FL400. CONDS CONTG BYD 03Z THRU 09Z.

.
AIRMET TURB...MD DE VA NC SC GA FL AND CSTL WTRS
FROM 150SE SIE TO 190ESE ECG TO 150SSE ILM TO 190SE CHS TO 110E
CRG TO 50ESE SAV TO 30SSE CLT TO 50S LYH TO 20NE ECG TO 150SE SIE
MOD TURB BLW 150. CONDS CONTG BYD 03Z THRU 09Z.

.
AIRMET STG SFC WNDZ...ME NH MA RI CT NY NJ MD DE VA NC SC AND
CSTL WTRS
FROM 60SW YSJ TO 200SE ACK TO 160SE SIE TO 190ESE ECG TO 130SE
ILM TO 130SSE ILM TO 80E CHS TO 30SSW ILM TO 30SSE ECG TO ORF TO
30SE JFK TO 30N ACK TO 30SE ENE TO 50S BGR TO 60SW YSJ
SUSTAINED SURFACE WINDS GTR THAN 30KT EXP. CONDS CONTG BYD 03Z
THRU 09Z.

.
OTLK VALID 0300-0900Z...STG SFC WNDZ ME NH MA RI CT NY NJ MD DE
VA NC SC GA FL AND CSTL WTRS
BOUNDED BY 50SW YSJ-200SE ACK-160SE SIE-190ESE ECG-130SSE ILM-
140SE CHS-100E CRG-60S SAV-30SSE ECG-30NNE ORF-30SE CYN-30NNW
ACK-30SE ENE-50SW YSJ
SUSTAINED SURFACE WINDS GTR THAN 30KT EXP. CONDS CONTG THRU 09Z.

....

WAUS41 KPCI 192045

WA1Z

BOSZ WA 192045

AIRMET ZULU UPDT 3 FOR ICE AND FRZLVL VALID UNTIL 200300

.
AIRMET ICE...MD VA NC SC AND CSTL WTRS
FROM 130E ACK TO 200SE ACK TO 160SE SIE TO 190ESE ECG TO 140ESE
CHS TO 50S GSO TO 100S ACK TO 130E ACK
MOD ICE BTN FRZLVL AND FL180. FRZLVL 020-060. CONDS ENDG 00-03Z.

.
AIRMET ICE...ME
FROM 80NW PQI TO 50NE PQI TO 20SE HUL TO 40ENE YSC TO 50E YQB TO
80NW PQI
MOD ICE BTN 050 AND 160. CONDS DVLPG 00-03Z. CONDS CONTG BYD 03Z
THRU 09Z.

.
FRZLVL...RANGING FROM SFC-090 ACRS AREA
MULT FRZLVL BLW 070 BOUNDED BY 30ENE ECK-40SSW ALB-20WSW SIE-
20WNW DCA-50S JST-20SW HNV-HNN-CVG-FWA-30ENE ECK
MULT FRZLVL 010-090 BOUNDED BY 80SE HTO-200SE ACK-160SE SIE-
190ESE ECG-50SE SAV-20ENE AMG-40ESE LGC-20WNW ATL-30SE RDU-
20E GSO-20NNW LYH-80SE HTO
SFC ALG 30SE ECK-30SE DXO-60SSW DXO-80ESE ENE-110ENE ACK
040 ALG 50S HNN-BKW-PSK-40SSW PSK

.....

WAUS41 KKCI 192045

WA1S

BOSS WA 192045

AIRMET SIERRA UPDT 6 FOR IFR VALID UNTIL 200300

.
NO SGFNT IFR EXP OUTSIDE OF CNVTV ACT.

.....